The McKenzie Institute International

CENTRE FOR POSTGRADUATE STUDY IN MECHANICAL DIAGNOSIS AND THERAPY



International Credentialling Exam Information for Candidates

COPYRIGHT ©

The material in this document is copyright to The McKenzie Institute International, PO Box 2026, Raumati Beach 5255, New Zealand. No part of this material may be copied or duplicated in any way, except where the permission in writing has been given by the CEO of the Institute.

TABLE OF CONTENTS

| 1. | PUR | POSE | 2 |
|-----|---------------------------------|---|---------------------------|
| 2. | ELIG | GIBILITY | 2 |
| 3. | 3.1 3.2 3.3 3.4 3.5 | Application Form | 2 3 3 3 |
| 4. | FOR 4.1 4.2 | MAT OF THE EXAMINATION Content Areas Methods 4.2.1 Paper-and-Pen 4.2.2 Chart Evaluations 4.2.3 Case Study 4.2.4 Audio Visual Presentation 4.2.5 Performance Simulation | 4 4 5 5 |
| 5. | PAS | SING GRADE | 5 |
| 6. | INFO | DRMATION AND REGULATIONS FOR THE EXAMINATION | 6 |
| 7. | PRE 7.1 7.2 7.3 | PARATION FOR THE EXAMINATION Pre-requisites Preparation Materials Instruction Prior to Exam | 8 8 |
| 8. | 8.1 8.2 | PLE QUESTIONS AND INFORMATION ABOUT THE EXAMINATION Paper/Pen | 9 19 19 19 20 |
| ۸DI | DEND | IV Accoment Forms | 21 |



We would like to take this opportunity to thank you for your interest in The McKenzie Institute International Credentialling Examination.

This examination has been designed to recognise the clinician utilising the McKenzie Method of Mechanical Diagnosis and Therapy in the treatment of patients.

Contained in this document is the information you need to prepare yourself for the examination.

If you have any questions or concerns after reading the document please contact:

The McKenzie Institute USA 432 N Franklin St Ste 40 Syracuse, NY 13204 info@mckenzieinstituteusa.org 800-635-8380 or 315-471-7612



1. PURPOSE

The McKenzie Institute conducts the Credentialling Examination to:

- Establish a standard of minimum competence in the application of the McKenzie Method of Mechanical Diagnosis and Therapy.
- Identify and recognise the clinician who has demonstrated basic competency in the McKenzie Method of Mechanical Diagnosis and Therapy (MDT).
- Develop a referral network of MDT qualified clinicians.

2. ELIGIBILITY

You are eligible to register for the Credentialling Examination if you have completed Parts A - D (including the extremities) of the McKenzie Institute International Education Programme, and are a licensed clinician.

Applicants will need to provide a copy of their professional license and then they will receive a Letter of Confirmation of registration after eligibility requirements are verified.

*If there are any health, learning issues or disabilities that may influence your participation in this examination, please contact the Institute. We will make every reasonable effort to make proper accommodations for you.

3. APPLICATION

3.1 Application Form

Register online or download the Exam Registration form from The McKenzie Institute USA website at:

http://mckenzieinstituteusa.org/forms/Order%20&%20Registrations%20Forms_Current/Cred%20Exam%20Reg%20Form current.pdf .

3.2 Acceptance of Application

Once your application has been accepted and processed, you will receive a letter of confirmation which will provide you with the details relating to the exam including location and where appropriate accommodation information.

<u>Please remember to bring this letter of confirmation and a photo I.D. with you to the exam.</u>



3.3 Number of Candidates

Exams are typically limited to 25 participants and there is a limit of 5 retakes. Where the exam places are limited, applications are accepted in the order they are received.

3.4 Examination Fee

The cost of the examination is:

| Description | Fee |
|-----------------------------|-------|
| Examination | \$500 |
| | |
| Retake of Exam: | |
| Whole Exam | \$250 |
| Written Portion Only | \$200 |
| Performance Simulation Only | \$50 |

3.5 <u>Cancellations, Transfers & Refunds</u>

3.5.1 <u>Cancellations</u>

If you must cancel your registration after receiving your letter of confirmation, you must submit a written notice to qualify for a transfer or possible refund.

Cancellations that occur within two weeks before the exam date, will incur a cancellation fee of \$100.00.

3.5.2 Transfers

The Institute will accommodate one transfer opportunity without penalty only if the cancellation occurs two or more weeks before the exam.

3.5.3 Refunds

The refund policy is as follows:

| Period | Refund Amount |
|-----------------------------------|----------------------------------|
| Prior to 4 weeks before the exam | \$400.00 |
| 2-4 weeks before the exam | \$200.00 |
| Less than 2 weeks before the exam | No refund and \$100 transfer fee |



4. FORMAT OF THE EXAMINATION

Every component of the International Credentialling Examination has been verified by The McKenzie Institute International Education Committee.

4.1 Content Areas

Since the primary objective of this Credentialling Exam process is the assessment of clinical skills and thought processes, the format of this examination is multi-method testing.

Each method has been selected for its perceived suitability in testing one or more of the content areas.

The content areas are as follows:

- History
- Examination
- Conclusions
- Principle of Treatment
- Reassessment
- Prophylaxis
- Clinician procedures

The exam is divided into a morning session and afternoon session. Each session will be approximately three to four hours in length to allow adequate time for completion of each section.

The morning session will comprise the following methods: paper-and-pen, chart evaluations and case studies.

The afternoon session will comprise the audiovisual presentation and performance simulation.

4.2 Methods

The testing methods currently used in the examination are paper-and-pen, chart evaluations, case studies, audiovisual presentation and performance simulation. A description and goal of each method is given below.

4.2.1 Paper-and-Pen

The written examination is administered in a multiple-choice format that focuses on assessing the candidate's knowledge of all content areas.



4.2.2 Chart Evaluations

Based on an actual patient's records, a patient's history and/or examination findings are presented on a McKenzie Institute International Assessment Form. This section focuses on the interpretation of the written history and examination form, a principle of treatment, identifying contraindications and the need for additional testing or medical procedures. The testing format is multiple-choice questions.

4.2.3 Case Study

Written case histories are presented on a McKenzie Institute International Assessment Form. Multiple-choice questions are asked that focus on evaluating the patient, reaching conclusions, developing a principle of treatment, and selecting treatment procedures. This section also focuses on reassessment concepts.

4.2.4 Audio Visual Presentation

A video is presented of a patient undergoing a history, examination, and/or a procedure in a clinical setting. Multiple-choice questions assess the candidate's ability to analyse and interpret the History, Examination, including the patient's movements and static postures, conclusions, the clinician / patient communications, and the proposed treatment programme. Ability to accurately record patient information is also assessed in this section.

4.2.5 <u>Performance Simulation</u>

Role-playing activities are used to examine the candidate's ability to perform MDT clinician procedures. Three techniques are randomly selected for each exam.

PLEASE NOTE:

Any procedures taught on Parts A – D courses, described in McKenzie & May's textbooks, and demonstrated in the procedures video (excluding manipulation), can be tested in the exam. Be sure that you are familiar with, and have practised performing, all procedures.

5. PASSING GRADE

The purpose of the Credentialling Examination is to assure the patient, the medical community, and the McKenzie Institute International that the clinician has attained a minimum level of competency in MDT. Because of this philosophy, a predetermined passing grade for the exam has been established based on field testing and on the Anghoff procedure for determining passing points for examinations.



The exam is divided into two sections:

- Paper and Pen, Chart Evaluations, Case Studies and Audio Visual Presentation are included in the first section.
- The Performance Simulation is the second section.

A candidate must pass both sections - the Written section which includes the Paper/Pen, Chart Evaluations, Case Studies and Audio Visual presentation; and the Performance Simulation section. The passing score for the Written section is 73 points, and the passing score for the Performance Simulation section is 230 points.

A candidate is able to re-take the exam if they do not achieve a pass. If a candidate passes only one section then they only have to re-take the section they failed. A candidate may retake either or both sections of the exam up to three times. If they are not successful after three attempts, direction for remedial study is strongly recommended and can be provided by the faculty of the Branch conducting the exam.

You will receive your results by mail within 2-3 weeks.

6. INFORMATION AND REGULATIONS FOR THE EXAMINATION

- 1. Be sure to arrive at the exam venue no later than 15 minutes before the scheduled commencement time of the exam.
- 2. Bring your letter of confirmation and a photo I.D.
- 3. No visitors are permitted at the exam venue.
- 4. Notepaper, books, notes, etc. are not permitted in the exam room. Notepaper and pencils will be provided, and collected at the end of the exam.
- 5. Once the test has begun, you may leave the exam room only with the examiner's permission. The time lost whilst absent from the room cannot be made up.
- 6. You can be dismissed from the examination for:
 - (a) Impersonating another candidate
 - (b) Creating a disturbance
 - (c) Giving or receiving help on the exam
 - (d) Attempting to remove exam materials or notes from the room
 - (e) Using notes, books, etc. brought in from outside.
- 7. Prior to the start of the exam, you will be asked to sign and date a Confidentiality Agreement. (An example of the Confidentiality Agreement follows.)

The following Confidentiality Agreement may vary by branches.



SAMPLE CONFIDENTIALITY AGREEMENT



Credentialing Examination Confidentiality Agreement

In order to make The McKenzie Institute Credentialing Examination fair for all candidates and to protect the confidentiality of the candidates, you must sign this agreement. Refusal to sign will result in your inability to take the written or practical portions of the examination.

You agree not to divulge or discuss with anyone the contents of the written and practical examinations, the names of the other candidates taking the written and practical examinations, and how many candidates participated in the written and practical examinations.

Any and all content utilized in and developed for The McKenzie Institute Credentialing Examination, including the written and practical examinations, is the exclusive property of The McKenzie Institute International, licensed to The McKenzie Institute USA, and is protected by United States and international copyright laws. Furthermore, all such content included in The McKenzie Institute Credentialing Examination is deemed proprietary and confidential information, and shall not be disclosed, copied, re-created, or forwarded by any candidate taking the examination. Any disclosure of this confidential or proprietary information will be deemed an infringement of United States and international copyright law, and may result in disciplinary action, including criminal and civil liability.

Furthermore, breach of this agreement will result in the forfeiture of your certification and a permanent restriction on retaking either the written or

| oractical examinations. | |
|-------------------------|---|
| | |
| | _ |
| | |
| , | _ |
| | |
| Course #: | |
| Student #: | |



7. PREPARATION FOR THE EXAMINATION

7.1 <u>Pre-requisites</u>

The following courses are the mandatory prerequisite for this examination:

Courses A, B, C, and D offered only through The McKenzie Institute:

- Part A: MDT: The Lumbar Spine
- Part B: MDT: Cervical & Thoracic Spine
- Part C: MDT: Advanced Lumbar Spine and Extremities Lower Limb
- Part D: MDT: Advanced Cervical & Thoracic Spine and Extremities Upper Limb

7.2 <u>Preparation Materials</u>

In preparation for this exam, use of the following materials is recommended:

- "The Lumbar Spine Mechanical Diagnosis and Therapy®" (second edition 2003, Volumes One and Two), "The Cervical and Thoracic Spine – Mechanical Diagnosis and Therapy®" (second edition 2006, Volumes One and Two), "The Human Extremities – Mechanical Diagnosis and Therapy®", all written by Robin McKenzie and Stephen May. (Available through OPTP)
- 2. Course manuals, notes, and *Treat Your Own Back / Treat Your Own Neck / Treat Your Own Shoulder / Treat Your Own Knee* books.
- 3. Attending the Advanced Extremities and Clinical Skills Update (CSU) Courses
- 4. Take the Online Case Manager Course
- 5. Official Institute online materials MDT procedure videos, webinars, past issues of the IJMDT, MDT World Press and JMMT.
- 6. Retake (audit) any component of the Institute's International Education Programme.

7.3 Instruction Prior to Exam

Examiners for the Credentialing Exam a candidate is undertaking cannot provide any form of instruction or feedback relating to the Performance Simulation component within two weeks of the exam. Candidates should refer to the web-based description of the MDT procedures for clarification of any issue relating to the performance of MDT procedures.



8. SAMPLE QUESTIONS AND INFORMATION ABOUT THE EXAMINATION

To familiarise yourself with the format prior to the exam, the following are sample questions for the Paper/Pen, Chart Evaluation and Case Study sections of the Credentialling Exam together with the directions. (Answer key provided on the last page.)

8.1 Paper/Pen

Read each question and all choices, and then decide which choice is correct. There is only one correct answer for each question. You will not be given credit for any question for which you indicate more than one answer or for any that you do not answer. There is no penalty for guessing.

1. On the initial visit of a 27 year old male patient presenting with intermittent back and left thigh and calf pain, your provisional classification is Lumbar Adherent Nerve Root. His history is consistent with a derangement six months ago after a lifting injury. He has not received any previous care. What are the appropriate self treatment exercise recommendations for the first two days?

<u>Note:</u> Your provisional classification is based on the following test results:

- RFIS (Repeated Flexion in Standing) Produce Back and Leg Pain/No Worse Moderate loss motion
- REIS (Repeated Extension in Standing) No Effect, Minimal loss of motion
- RFIL (Repeated Flexion in Lying) Produce Back Pain/No Worse
- REIL (Repeated Extension in Lying) Produce Strain /No Worse
 - (a) RFIL (Repeated Flexion in Lying) 10/2hours, RFIS (Repeated Flexion in Standing) 10/2hours starting at mid day, REIL (Repeated Extension in Lying) after either RFIL and RFIS for prophylaxis, postural advice
 - (b) RFIS (Repeated Flexion in Standing) 10/2hours, REIL (Repeated Extension in Lying) after the RFIS for prophylaxis, postural advice
 - (c) RFIL (Repeated Flexion in Lying) 10/2hours, REIL (Repeated Extension in Lying) after the RFIL for prophylaxis, postural advice
 - (d) FIS (Repeated Flexion in Standing) 10/2hours, REIS (Repeated Extension in Standing) afterwards for prophylaxis, postural advice



- 2. A 32 year old female patient with constant pain across C6-C7 with radiation into the Right Scapula and Right upper arm reports that during the test movements of Repeated Retraction her symptoms are felt a bit more with each movement, but are about the same when she returns to the starting position. The response to single movements and repeated movements were the same. How would you record this on the evaluation form? Repeated Retraction:
 - (a) Increase, No Worse
 - (b) Produce, No Worse
 - (c) Increase, Worse
 - (d) Produce, Worse
- 3. Which of the following symptoms may indicate serious pathology (Red Flag) in a patient presenting with complaint of headache?
 - (a) Use of narcotics to manage pain.
 - (b) Progressive worsening of temporal/occipital headache with visual changes.
 - (c) Headache aggravated with routine activity.
 - (d) Difficulty sleeping due to challenge finding a comfortable position.
- 4. A patient returns for follow up treatment 24 hours after the initial assessment, what should the review process include?
 - (a) Review site, frequency and intensity of symptoms, effect of posture correction and test repeated flexion and extension.
 - (b) Review symptomatic presentation, compliance with home programme, retest all repeated movements for mechanical baselines.
 - (c) Review symptomatic changes, mechanical baselines and effect of posture change.
 - (d) Review of symptomatic and mechanical presentation; review compliance with posture recommendations and performance of home programme. Retest appropriate key findings.



8.2 Chart Evaluations and Case Studies

These sections of the examination consist of multiple-choice questions.

1. On the Chart Evaluations, you will have one of the following:

- A completed history and examination assessment sheet
- A completed history sheet only
- A completed examination sheet

The assessment sheets and questions will be clearly marked 'Evaluation 1, 2, 3.'

2. With the Case Studies, you will have completed:

- History
- Examination Sheets, and
- Follow up visits

The Case Studies and questions are clearly marked 'Case Study 1, 2, 3' etc.



CHART EVALUATION SAMPLE: ALEX



THE McKENZIE INSTITUTE LUMBAR SPINE ASSESSMENT

Chart Evaluation Sample - Alex

| Date | | | | | (**) | $\overline{\mathbf{C}}$ |
|-----------------------|--------------------|---------------|-------------------|---------------|--------------------|--------------------------------------|
| Name _ | Alex | | Sex | M) F |)={ |).(|
| Address _ | | | | | | (3.6) |
| Telephone _ | | | | | | 110101 |
| Date of Birth _ | | | Age | 28 | 18-7 | |
| Referral GP (| Orth / Self / Othe | r | | | | |
| Work: Mechan | ical stresses | Travelling | g Computer Tec | hnician | W/ / | COP TOO TO |
| | | Standing | / Bending & Sit | ting | | |
| Leisure: Mecha | anical stresses | Gym, Spo | orts | |);;;(| 18(|
| Functional Disa | ability from prese | nt episode | Working Par | t-Time | \\ \\/ | V |
| | | | No exercise | | \V / | <i>}</i> {} { |
| Functional Disa | ability score | | | | | SYMPTOMS () |
| VAS Score (0-1 | 10) | 6 – 7 / 10 | | | | |
| | | | HIST | ORY | | |
| Present Sympto | oms <u>L</u> e | eft L5 – S1, | across left but | tocks, poster | ior thigh and calf | |
| Present since | _7 | days | | | Improving | / Unchanging Worsening |
| Commenced as | s a result of Li | ifting suitca | ase after 6 hour | plane ride | | Or no apparent reason |
| Symptoms at o | nset: back thig | n/leg Ne | xt day calf – no | ticed he was | slightly crooked | |
| Constant symp | toms.back thig | h (leg) | | | Intermittent sy | mptoms: back / thigh / leg |
| Worse | bending LE | BP & Leg 🤇 | itting rising | standing | walking | lying |
| | am / as the | e day progre | esses/pm LBP | | when still / on | the move |
| | other H | ard to find | comfortable sle | ep position | | |
| Better | bending | siti | ting | standing | walking | Lying slightly |
| | am / as the | e day progre | esses / pm | | when still on | the move |
| | other | Ice | | | | |
| Disturbed Slee | p Yes No | Sle | eeping postures: | prone/sup/ | side R / L Surfa | ce (firm) soft / sag |
| Previous Episo | des 0 (1-5) | 6-10 11+ | | | Year of first e | oisode |
| Previous Histor | y 5 years a | ago back p | ain only after w | eight lifting | | |
| | | | | | | |
| Previous Treatr | ments None | | | | | |
| | | | | | | |
| SPECIFIC QUE | ESTIONS | | | | | |
| Cough / Sneez | e Strain +ve | -ve | Bladder: | ormal) abnor | rmal | Gait: normal /abnormal |
| Medications: Λ | lil (NSAIDS)/ An | alg / Steroid | ls / Anticoag / O | ther | | |
| General Health | Good) Fair / Po | oor | | | | |
| lmaging: Yes (| <u>No</u> | | | | | |
| Recent or majo | or surgery: Yes 🅻 | No | | | Night Pain.Ye | No Positional |
| Accidents: Yes | <i>№</i> | | | | Unexplained v | veight loss: Yes No |
| Other: | | | | | | |
| | | | | | | |



POSTURE

Chart Evaluation Sample - Alex

| Sitting: Good / Fair () Correction of Posture Other Observations: | | | | | | Y Acc / Normal | | | |
|---|-----------------|-----------|-----------|----------|----------------------|--|--------------|--------------|-----------|
| NEUROLOGICAL Motor Deficit Sensory Deficit | 5 / 5 Intact | | | | Reflexes Dural Signs | Intact | e) 50 | | |
| • | IIIIact | | | | Durai Signs | SLK(L) 20 (I | y 50 | | |
| MOVEMENT LOSS | Mai | Mod | Min | Nil | | Pai | <u> </u> | | |
| Flavian | Maj √ | IVIOU | Min | INII | | | | | |
| Flexion | | | | | | Back & I | | | |
| Extension | ✓ | | | | | Back & I | eπ leg | | |
| Side Gliding R | | | | ✓ | | | | | |
| Side Gliding L | ✓ | | | | | Back & I | eft leg | | |
| TEST MOVEMENTS | | | | | | oolishes, increases er, no worse, no ef | | | eralised. |
| | c | wmntome | During T | octing | | Symptoms | Mech | anical Res | |
| | symptoms | During Te | esung | | After Testing | ↑Rom | ↓ Rom | No Effect | |
| Pretest symptoms s | tanding: | Back | & Left Le | g 6/10 | İ | | | | |
| FIS _↑B | ack & let | t leg | | | | | | | |
| Rep FIS X 3 | ↑ Back 8 | & leg | | | | Worse | | | |
| EIS | ↑ Back 8 | k leg | | | | | | | |
| Rep EIS X3 | ↑ Back 8 | & leg | | | | Worse | | | |
| Pretest symptoms ly | /ing: | | | | | | | | |
| FIL <u>↑ L</u> | | | | | | | | | |
| Rep FIL X3 | ↑ Leg | | | | | Worse | | | |
| EIL <u>↑ L</u> | | | | | | | | | |
| Rep EIL X3 | ↑ Leg | | | | | Worse | | | |
| If required pretest s | ymptoms | s: | | | | | | | |
| SGIS - R No | | | | | | | | | |
| Rep SGIS - R | | | | | | | | | |
| SGIS-L <u>↑B</u> | | | | | | | | | |
| Rep SGIS - L | | | | | | | | | |
| STATIC TESTS Sitting slouched | | | | | Sitting erec | • | | | |
| Standing slouched | | | | | | | | | |
| Lying prone in extens | ion — | | | | | | | | |
| OTHER TESTS | | | | | Long simily | | | | |
| | | | | | | | | | |
| PROVISIONAL CLAS | SSIFICAT | TION | | | | | | | |
| Derangement | 3011 10711 | Dysfunct | tion | | Posture | | Other | | |
| Derangement: Pain L | ocation | • | | | 1 Ostale | | Other | | |
| Dorangoment. Fall L | COGGOTT | | | | | | | | |
| PRINCIPLE OF MAN | AGEME | | | | | | | | |
| Education | | | | | _ Equipment Pro | vided | | | |
| Mechanical Therapy | yes / ne | o | | | | | | | |
| Extension Principle | | | | | | Flexion Pr | inciple _ | | |
| Other | | | | | | | | | |
| Treatment Goals | | | | | | | | | |



CHART EVALUATION Question

- 5. Based on information provided on the assessment form for Alex, how should you proceed?
 - (a) Assess symptom response to therapist manual shift correction.
 - (b) Refer patient back to doctor.
 - (c) Assess symptom response to sustained extension.
 - (d) Instruct patient in correct sitting posture and reassess in 24 hours.



CASE STUDY SAMPLE: GEORGE - Assessment and Follow-up



THE McKENZIE INSTITUTE LOWER EXTREMITIES ASSESSMENT

CASE STUDY SAMPLE - GEORGE

| Date . | | | | | $\int_{-\infty}$ | | (·) | | |
|------------------|--------------------|---------------------------|------------------|--------------------|------------------|-----------------------------|---|--|--|
| Name . | George | | Sex | M F | \ <u>`</u> | |) .(| | |
| Address | | | | | 1 | | €3 E27 | | |
| Telephone . | | | | | 117就 | | 10,11 | | |
| Date of Birth | | | Age | 35 | 14. | { \ \ / _^ | | | |
| Referral: (GP)/O | rth / Self / Other | | | | | 11 // |),(// | | |
| Work: Mechani | ical stresses | Accountant | | 4 | | W Two | () () () () () () () () () () | | |
| Leisure: Mecha | anical stresses | Runner | | | \ | / | \ 1 / | | |
| Functional disa | ability from pre | esent episode D | ecreased ru | nning | (W) | | | | |
| Functional disa | ability score | | | |) | |)}}}(| | |
| VAS Score (0- | 10) | 0-5 / 10 | | | لسالينا | SYMPTOMS | | | |
| | | | HIST | ORY | | | | | |
| Present sympto | oms | Left knee | | | | | | | |
| Present since | | 3 months | | | | Improving / Un | changing / Worsening | | |
| Commenced as | s a result of | Running | | | | Or I | No Apparent Reason | | |
| Symptoms at o | onset | Left knee | | | | Par | aesthesia: Yes No | | |
| Spinal history | | None | | | | Cough | / Sneeze +ve (-ve) | | |
| Constant symp | otoms: | | | Intermitten | t Symptoms: | Left knee | | | |
| Worse | bendin | | sing / first few | | - | Iking stairs | squatting kneeling | | |
| | | s the day progress | • | en still / on th | | | e / sup / side R / L | | |
| 5 | | Running – pa | | | | | | | |
| Better | bendin , | · · | | · · | walking | stairs squatting / kneeling | | | |
| | | s the day progress | | nen still / on the | e move | Sleeping: prone | e / sup / side R / L | | |
| | other | Rest, activity | avoidance | | | | | | |
| Continued use | makes the pa | in: Better | Worse | No Effec | t | Disturbed | I night Yes / No | | |
| Pain at rest | Yes / | № | | | Site: | Back / Hip / | nee / Ankle / Foot | | |
| Other Question | ns: | Swelling | Si | ickting / Lockit | ng | Giving Wa | y / Falling | | |
| Previous episo | des <u>O</u> | ne – three year | s ago – full r | esolution – | no treatmen | t | | | |
| Previous treatn | ments N | one | | | | | | | |
| General health | :Good/ Fair | · / Poor | | | | | | | |
| Medications: / | Nil / NSAIDS |) / Analg / Steroi | ds / Anticoag | / OtherT | ried a few da | ays- no effect | | | |
| Imaging: Yes |) / No | X-ray | s negative | | | | | | |
| Recent or majo | or surgery: Ye | ;s / No | | | Night pain | : Yes/No | | | |
| Accidents: Ye | es /No | | | | Unexplain | ed weight loss: | Yes /No | | |
| Summary | Ad | cute / Sub-acute | /Chronic | | Trauma | /Insidious Onse | D | | |
| Sites for physic | cal examinatio | n Back / Hip | Knee / Ank | le / Foot | Other: | | | | |



| | r Ci | orrectio | n of Po | sture: <i>Bette</i> | r / Worse / No Effect/ | NA | Stand | ling: 🤇 | Good) F | air / Poor |
|--|---------------------------|---|--|--|--|--|---|--|---|---|
| NA |)/ Mote | or / Se | ensory | / Reflexes / | Dural | | | | | |
| r funct | ional ad | ctivity) | pain | with squat, up | down 1 step | | | | | |
| Hip | /Kne | ee/ Ar | nkle / i | Foot | | | | | | |
| Maj | Mod | Min | Nil | Pain | | Maj | Mod | Min | Nil | Pain |
| lexion Continue Continue | | | | | | | | | | |
| Extension ✓ ERP Abduction / Eversion | | | | | | | | | | |
| | | | 3 | | Internal Rotation | | | | | |
| | | | | | External Rotation | | | | | |
| | | | | of. | | | | | | |
| 98 | er press | sure) (r | ote sy | mptoms and | range): | | | | PDM | ERP ✓ |
| | | | | | | | | | | <i>,</i> |
| | | | | | | | | | | |
| onse (p | | 911210-0110-0-100 | | 1000 TORNOR 0000 TORNO | - 1990.FC/078 | | | | | - 3 |
| | | knee fle | xion | 4+/5 No | Pain | | | | | |
| | 0 | | | | | | | | | |
| To proportion to | | o Effect | | | | | | | | |
| ning | | | | | | | | | | |
| elevan | D'Rele | vant / S | econda | ry problem _ | | | | | | |
| | | | | | | | | | | |
| ests | | Symptom Response | | | | | Mech | nanica | Respo | nse |
| | | | oduce, | Abolish, | After – Better, Worse, NB, NW, NE | | | | | No Effect |
| exion | | F | Produc | e pain | No Worse | 100 | | | | |
| | | ļ | Produc | e pain | No Worse | ⋀ | Flex | & Ext | | |
| itting) | | | | | | redu | uce pain | with squ | uat/step | |
| tioning | 1 | | | | | | | | | |
| ar | | Respond | | Extremities | 502 • 4353/4 d D | | | | | |
| | Maj (+/- ove sss onse (| Maj Mod (+/- over pressions Maj Mod (the over pressions | Maj Mod Min Maj Mod Min Mod Min | Maj Mod Min Nil (+/- over pressure) (note syrics conse (pain) Il movement No Effect Indicate Produce Increase, De Produce Produc | ### Improvement Color Color Color | Maj Mod Min Nil Pain Adduction/Inversion Abduction / Eversion Internal Rotation External Rotation (+/- over pressure) (note symptoms and range): SS Onse (pain) Maj Mod Min Nil Pain | r functional activity): pain with squat, up/down 1 step Hip / Knee / Ankle / Foot Maj Mod Min Nil Pain Adduction/Inversion Abduction / Eversion Internal Rotation External Rotation (+I- over pressure) (note symptoms and range): SSS Onse (pain) knee extension 4+/5 No Pain knee flexion 4+/5 No Pain knee flexion 4+/5 No Pain Ill movement Overnents No Effect Oning Celevant / Secondary problem Sets Symptom Response Overnent, Increase, Decrease, NE Produce, Abolish, Increase, Decrease, NE Produce pain No Worse r functional activity): pain with squat, up/down 1 step Hip Knee Ankle / Foot Maj Mod Min Nil Pain Adduction/Inversion Abduction / Eversion Internal Rotation External Rotation External Rotation [H- over pressure] (note symptoms and range): SSS onse (pain) knee extension 4+/5 No Pain knee flexion 4+/5 No Pain Ill movement vovements No Effect Internal Rotation External Rotation Internal Rotation Inter | rfunctional activity): pain with squat, up/down 1 step Hip Knee Ankle / Foot Maj Mod Min Nil Pain Adduction/Inversion Abduction / Eversion Internal Rotation External Rotation External Rotation External Rotation External Rotation Internal Rotation External Rotation Internal | r functional activity): pain with squat, up/down 1 step Hip Knee Ankle / Foot |



Follow Up Notes: George

Day 2 (24 hours later)

<u>History</u>: I feel about 50% better, pain only 3/10 with 5 mile run, lingered less than 1 hour, less pain with squat. Did exercises every 2 hours.

Physical Examination: No pain at rest

Squat – p 3/10 at maximum Flexion

Flexion - minimal loss no pain

Extension - minimal loss product pain

Day 3 (3 days later)

History: I have done recommended exercises and I am about the same as last visit

Physical Examination: No pain at rest

Squat p 3/10 at maximum

Flexion - minimal loss no pain


Extension – minimal loss produce pain



CASE STUDY Questions

Based on the information provided on the assessment and follow up notes for George:

- 6. What would be your recommendation for treatment after Day 2?
 - (a) Change direction of force to flexion
 - (b) Add rotational component to extension
 - (c) Continue treatment as outlined
 - (d) Request patient stop running
- 7. What would be your recommendation for treatment after Day 3?
 - (a) Change direction of force to flexion
 - (b) Add force progression to extension
 - (c) Add rotational component to extension
 - (d) Continue treatment as outlined





8.3 Audio Visual Section

8.3.1 Information

This section of the examination uses a DVD. Please familiarise yourself with the directions for this section, and the standard McKenzie Assessment Forms that follow.

The Audio Visual exam is divided into different sections:

- History
- Examination
- Conclusion
- Principle of Treatment
- Reassessment.

8.3.2 Procedure

You will

- Watch a DVD of a clinician examining and treating a patient.
- Listen and observe.
- Complete the assessment form provided based on what is being said and done by both the clinician and the patient.
- Refer to the information you have, or do not have, on your assessment form to help you answer the questions.
- You will be asked questions regarding the history, examination and treatment provided by the clinician.
- The clinician may be doing some of the history, exam and reassessment correctly or incorrectly, complete or incomplete.

After each section, the DVD will be stopped. An allotted amount of time will be given to answer questions regarding that section. The assessment form and answer sheets will then be collected.

The next section will be based on a new assessment form given to you with correct completion of the previous section. A few minutes will be provided for you to review.

Doing it this way, you will not be penalised and will have the opportunity to answer other sections correctly, even if you answered incorrectly on the previous section.



8.4 Performance Simulation

8.4.1 Information

This consists of Role-playing activities, which are used to examine the candidate's ability to perform MDT clinician procedures.

8.4.2 Procedure

You will be asked to perform three of the MDT clinician procedures as taught on Parts A - D courses, described in "The Lumbar Spine: Mechanical Diagnosis and Therapy" and "The Cervical and Thoracic Spine: Mechanical Diagnosis and Therapy," 2nd Edition textbooks, and demonstrated in the procedures video. A model is provided for the procedures.

Three techniques are randomly selected for each exam.

We wish you every success with The McKenzie Institute International Credentialling Examination



APPENDIX

Assessment Forms





THE McKENZIE INSTITUTE LUMBAR SPINE ASSESSMENT

| Date | | | | | \bigcirc |
|-----------------------|------------------------|-----------------------|------------------|-------------------------|-------------------------------|
| Name | | Sex | M/F | | ۲ ۲ |
| Address | | | | | (A) (B) |
| Telephone | | | | [- <u>[</u>]-]] | $(V_i V_j)$ |
| Date of Birth | | Age | <i>)</i> | P.YI | |
| Referral: GP/Orth/S | elf / Other | | | ~ 11 | 1):(// |
| Work: Mechanical st | tresses | | | 1 1 W To | |
| Leisure: Mechanical | stresses | | | \/ | \ / |
| Functional disability | from present episod | e | | [ibil | 101 |
| | | | | \W/ | /4/ |
| Functional disability | score | | | SYMPTOM | s (1) |
| VAS Score (0-10) | | ніѕто | RY | W CD | 2 |
| Present symptoms | | | | | |
| Present since | | | | improving / und | changing / worsening |
| Commenced as a re | sult of | | | | r no apparent reason |
| Symptoms at onset: | back / thigh / leg _ | | | | |
| Constant symptoms | : back / thigh / leg _ | | | Intermittent sympto | ms: <i>back / thigh / leg</i> |
| Worse | bending | sitting / rising | standing | walking | lying |
| | am / as the day pro | ogresses / pm | | wh | en still / on the move |
| Better | bending | sitting | standing | walking | lying |
| | am / as the day pro | ogresses / pm | | wh | en still / on the move |
| Disturbed sleep | yes / no Sle | eping postures: prone | e / sup / side R | / L Surfa | ce: firm / soft / sag |
| Previous episodes | 0 1-5 6-10 | 0 11+ | | Year of first episode | |
| Previous history | | | | | |
| Previous treatments | | | | | |
| SPECIFIC QUEST | ΓIONS | | | | |
| Cough / sneeze / s | strain / +ve / -ve | Bladder: | normal / abnorm | <i>al</i> Gait | : normal / abnormal |
| Medications: Nil / I | NSAIDS / Analg / | Steroids / Anticoag | Other | | |
| General health: goo | d / fair / poor _ | | | | |
| Imaging: yes / no | _ | | | | |
| Recent or major sur | gery: yes / no | | 1 | Night pain: yes / no _ | |
| Accidents: yes / no | | | l | Unexplained weight loss | s: yes / no |
| Other: | | | | | |



| POSTURE Sitting: good / fair / pc Correction of posture Other observations: | | • | • | fair / pool | r Lordosi | is: red / acc / I | normal | | _ | :/left/nil yes/no |
|---|---------|----------|---------|-------------|-----------|-------------------|---------------|-------|--------------|----------------------|
| NEUROLOGICAL Motor deficit Sensory deficit | | | | | Reflex | | | | | |
| MOVEMENT LOSS | | l | | | | | | | | |
| | Maj | Mod | Min | Nil | | | Pain | | | |
| Flexion | | | | | | | | | | |
| Extension | | | | | | | | | | |
| Side gliding R | | | | | | | | | | |
| Side gliding L | | | | | | | | | | |
| TEST MOVEMENTS Describe effect on present pain – During: produces, abolishes, increases, decreases, no effect, centralising, peripheralising. After: better, worse, no better, no worse, no effect, centralised, peripher | | | | | | | | | | |
| | | Cumpto | ma duri | na tootina | • | Cumptomo | ofter teeting | Mecha | anical res | |
| | | Sympto | ms dun | ng testing | } | Symptoms | after testing | ↑Rom | V Rom | No effect |
| Pretest symptoms s | tanding | | | | | | | | | |
| FIS | | | | | | | | | | |
| Rep FIS | | | | | | | | | | |
| | | | | | | | | | | |
| Rep EIS | | | | | | | | | | |
| Pretest symptoms ly | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| Rep EIL | | | | | | | | | | |
| If required pretest s | ymptom | ıs | | | | | | | | |
| SGIS - R | | | | | | | | | | |
| Rep SGIS - R | | | | | | | | | | |
| SGIS - L | | | | | | | | | | |
| Rep SGIS - L | | | | | | | | | | |
| STATIC TESTS | | | | | | | | | | |
| Sitting slouched | | | | | Sitt | ing erect | | | | |
| Standing slouched | | | | | Sta | nding erect | | | | |
| Lying prone in extens | sion | | | | Lon | ig sitting | | | | |
| OTHER TESTS | | | | | | | | | | |
| | | | | | | | | | | |
| PROVISIONAL CLAS | SSIFICA | TION | | | | | | | | |
| Derangement | 1 | Dysfunct | ion | | | Posture | | (| Other | |
| Derangement: Pain lo | ocation | | | | | | | | | |
| PRINCIPLE OF MAN | IAGEME | NT | | | = | and more data. I | | | | |
| Education | | | | | Equipm | nent provided | | | | |
| Mechanical therapy: | yes / n | no | | | | | | | | |
| _ | | | | | | principle | | | | |
| Flexion principle | | | | | Other | | | | | |
| Treatment goal _ | | | | | | | | | | |





THE McKENZIE INSTITUTE CERVICAL SPINE ASSESSMENT

| Jale | | | | { ♥♥} | () |
|-----------------------|-----------------------------------|---------|------------|-----------------------------|-----------------------|
| Name | | Sex | M / F |) * (|).(|
| Address | | | | | (3.6) |
| Telephone | | | | 日汶川 | 1101011 |
| Date of Birth | | Age | | 18-31 | 1-1-1-1 |
| Referral: GP/Orth/S | Self / Other | | | | |
| Work: Mechanical s | stresses | | | 411 1124 | |
| | | | | | |
| _eisure: Mechanica | l stresses | | |)::\o(|)) (|
| Functional Disability | y from present episode | | | (\\\) | (|
| | | | | \W/ | <i>\</i> 87 |
| Functional Disability | y score | | | у зумрто | MS (3) |
| VAS Score (0-10) | | | | W Carl | ₩₩ |
| | | HISTO | RY | | |
| Present Symptoms | | | | | |
| Present since | | | | improving / u | nchanging / worsening |
| Commenced as a re | esult of | | | | or no apparent reason |
| Symptoms at onset | : neck/arm/forearm/headacl | he | | | |
| Constant symptoms | s: neck / arm / forearm / headacl | he | Interm | ittent symptoms: neck / arm | / forearm / headache |
| Worse | bending | sitting | | turning | lying / rising |
| | am / as the day progresses / | / pm | | when still / on the mo | ve |
| | other | | | | |
| Better | bending | sitting | | turning | lying |
| | am / as the day progresses / | / pm | | when still / on the mo | ve |
| | other | | | | |
| Disturbed Sleep | Yes / No | | Pillows | | |
| Sleeping postures | prone / sup / side R / L | | Surface | firm / soft / sag | |
| Previous Episodes | 0 1-5 6-10 11+ | | Year of fi | irst episode | |
| Previous History | | | | | |
| | | | | | |
| Previous Treatment | ts | | | | |
| | | | | | |
| SPECIFIC QUES | TIONS | | | | |
| Dizziness / tinnitus | s / nausea / swallowing / +ve | ? / -ve | | Gait / Upper Limb | s: normal / abnormal |
| | NSAIDS / Analg / Steroids / | | | | |
| General health: Go | ood / Fair / Poor | | | | |
| maging: Yes / No | | | | | |
| | rgery: Yes / No | | | | |
| | Vo | | | Unexplained weight loss | : Yes / No |
| Other | | | | | |
| | | | | | |



| POSTURE | | | | | | | | | | | | | | |
|------------------------|-----------|----------|----------|----------|------------|-----------|--|--------|-------------------|--------|-------------------|-------------|---------------|---|
| Sitting: Good / Fair | / Poor | Stan | ding: G | ood / F | air / Poor | F | rotruded Hea | d: Ye | s / No | Wı | ry neck: <i>F</i> | Right / | Left / Nil | |
| Correction of Posture | e: Bette | r / Wor | se / No | o effect | | | | | | _ | Rele | vant: ۱ | es / No | |
| Other Observations | | | | | | | | | | | | | | |
| NEUROLOGICAL | | | | | | | | | | | | | | |
| Motor Deficit | | | | | | | Reflexes | | | | | | | |
| Sensory Deficit | | | | | | _ | Dural Signs | | | | | | | - |
| | | | | | | _ | | | | | | | | _ |
| MOVEMENT LOSS | Maj | Mod | Min | Nil | Pain | | | | Maj | Mod | Min | Nil | Pain | |
| Protrusion | | | | | | | Lateral flexion | on R | | | | | | |
| Flexion | | | | | | | Lateral flexion | on L | | | | | | |
| Retraction | | | | | | | Rotation R | | | | | | | |
| Extension | | | | | | 1 | Rotation L | | | | | | | _ |
| TEST MOVEMENTS | Describ | e effect | on nres | ent nai | n – During | - ∵nro | duces abolish | ae inc | reases | decres | ses no e | effect co | entralisina | - |
| | | | | | | | o worse, no eff | | | | | | eritialishig, | |
| | | | | | | | | | | ۸.4 | Mecha | anical F | Response | - |
| | | S | Sympton | ns Durir | ng Testing | | | Syli | nptoms Testing | | ↑Rom | V Ro | m No | |
| Protoct cymptoms | citting | | | | | | | | | , | • | | ''' effect | |
| Pretest symptoms : PRO | sitting _ | | | | | | | | | | | | | - |
| Rep PRO | | | | | | | | | | | | | | - |
| RET | | | | | | | | | | | | | | _ |
| Rep RET | | | | | | | | | | | | | | |
| RET EXT | | | | | | | | | | | | | | _ |
| Rep RET EXT | | | | | | | | | | | | | | _ |
| Pretest symptoms | lying _ | | | | | | | _ | | | | | | _ |
| RET Rep RET | | | | | | | | | | | | | | _ |
| RET EXT | | | | | | | | | | | | | | - |
| Rep RET EXT | | | | | | | | | | | | | | - |
| If required pretest p | oain sitt | ing | | | | | | | | | | | | - |
| LF - R | | | | | | | | | | | | | | _ |
| Rep LF - R | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | _ |
| Rep LF - L | | | | | | | | | | | | | | _ |
| ROT - R | | | | | | | | | | | | | | _ |
| Rep ROT - R | | | | | | | | | | | | | | - |
| ROT - L Rep ROT - L | | | | | | | | | | | | | | - |
| . ELEY — | | | | | | | | | | | | | | - |
| Rep FLEX | | | | | | | | | | | | | | _ |
| STATIC TESTS | | | | | | | | | | | | | | |
| Protrusion | | | | | | F | lexion | | | | | | | |
| Retraction — | | | | | | _ | ====================================== | | | | | | | |
| OTHER TESTS | | | | | | | | | | | | | | _ |
| PROVISIONAL CLA | | | | | | | | | | | | | | _ |
| Derangement | 10011 10 | | unction | | | Pos | tural | | | Othe | r | | | |
| Derangement: Pain | location | • | 41100011 | | | . 03 | | | | | • | | | |
| PRINCIPLE OF MAI | | | | | | | | | | | | | | - |
| | | | | | | | innered Description | امما | | | | | | |
| | | | | | | | ipment Provid | iea _ | | | | | | - |
| Mechanical Therapy | | | | | | | | _ | | | | | | _ |
| Extension Principle | | | | | | | Lateral Princip | | | | | | | |
| Flexion Principle | | | | | | | Oth | ner _ | | | | | | _ |
| Treatment goals | | | | | | | | | | | | | | |





THE McKENZIE INSTITUTE THORACIC SPINE ASSESSMENT

| | | ── ⟨ੑੑੑੑੑ੶ ੑੑੑੑੑ੶ | () |
|---------------------------------------|--|---|-----------------|
| Name | Sex | M/F |).(|
| Address | | | 59: (7) |
| Telephone | | — 11X(11 1 | 1 1 1 |
| Date of Birth | Age | — (K·X) (| |
| Referral: <i>GP / Orth / S</i> | elf / Other | — //\\\\\\\\/ | |
| Work : Mechanical s | stresses | (W) \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | |
| | | | |
| | stresses | / \\/ \ |) ያ (|
| Functional disability | from present episode | <u> </u> | |
| Functional disability | score | SYMPTOMS | 28 |
| VAS Score (0-10) | | | W 05 |
| _ | HISTOR | Y | |
| Present symptoms | | | |
| Present since | | improving / unchan | |
| Commenced as a re | esult of | or no | apparent reason |
| Symptoms at onset | | | |
| Constant symptoms | | Intermittent symptoms | |
| Worse | bending sitting / rising | turning neck / trunk standing | lying |
| | am / as the day progresses / pm other | when still / on the move | |
| Better | bending sitting / rising | turning neck / trunk standing | lying |
| | am / as the day progresses / pm | when still / on the move | |
| | other | | |
| Disturbed sleep | yes /no | Pillows | |
| Sleeping postures | prone / sup / side R / L | Surface: firm / soft / sag | |
| Previous episodes Previous history | 0 1-5 6-10 11+ | Year of first episode | |
| Previous treatments | | | |
| SPECIFIC QUEST | TIONS | | |
| Cough / sneeze / | deep breath / +ve / -ve | Gait: normal / abnormal | |
| Medications: <i>Nil /</i> | NSAIDS / Analg / Steroids / Anticoag / | Other | |
| General health: goo | d / fair/ poor | | |
| | | | |
| Recent or major sur | gery: yes / no | Night pain: yes / no | |
| Accidents: yes / no | | Unexplained weight loss: y | es / no |
| Other | | | |
| | | | |



| POSTURE Sitting: good / fair / p Correction of posture Other observations: | e: better | r / wors | se / no | | | | d head: <i>yes / no</i> K | yphosis: | red /acc | / normal |
|--|-----------|------------|---------|--------|--|---------|----------------------------|------------|--------------|----------|
| NEUROLOGICAL (u | ipper an | d lower | limb) | | | | | | | |
| Motor deficit | ippor an | G 10 11 01 | | | Reflexes | | | | | |
| Sensory deficit | | | | | | | | | | |
| Oction y deficit | - | | | | Darar sig | | | | | |
| MOVEMENT LOSS | | | | | | | CERVICAL DIFFEREN | TIAL TES | STING | |
| | Maj | Mod | Min | Nil | Pain | | Rep Pro | | | |
| Flexion | | | | | | | Rep Ret | | | |
| Extension | | | | | | | Rep Ret Ext | | | - |
| Rotation R | | | | | | | Rep LF - R | | | |
| Rotation L | 6 | | | | | | Rep LF - L | | | |
| Other | | | | | | | Rep ROT - R | | | |
| | | | | | | | Rep ROT - L | | | |
| | | | | | | | Rep Flex | | | |
| TEST MOVEMENTS | Dogg | ribo offo | ot on r | rocont | nain Duringun | | , abolishes, increases, de | oroooo | no offoot | |
| TEST WOVEWENTS | | | | | | | etter, no worse, no effect | | | |
| | | 0,1 | | | 100 miles (100 miles) (100 mil | 1 | | | nical res | |
| | | Sym | ptoms | during | testing | s | ymptoms after testing | 7/10/10/20 | | No |
| | | | | | | | • | ↑Rom | V Rom | effect |
| Pretest symptoms | sitting _ | | | | | | | | | |
| FLEX _ | | | | | | | | | | |
| Rep FLEX | | | | | | | | | | |
| EXT | | | | | | | | | | |
| D EVT | | | | | | | | | | |
| Pretest symptoms | | | | | | | | | | |
| | | | | | | | | | | |
| Rep EIL (prone) | | | | | | | | | | |
| FII (supine) | | | | | | | | | | |
| Rep EIL (supine) | | | | | | | | | | |
| Pretest symptoms | | | | | | | | | | |
| | | | | | | | | | | |
| ROT - R | | | | | | _ | | | | |
| Rep ROT - R | | | | | | | | 1 | | |
| ROT-L | | | | | | - | | 1 | | |
| Rep ROT - L | | | | | | _ | | | | |
| Other: | | | | | | | | | | |
| STATIC TESTS | | | | | | | | | | |
| Flexion | | | | | R | otation | R | | | |
| Extension / prone / | supine | | | | | | L | | | |
| OTHER TESTS | | * | | | | | 7. | | | |
| OTHER TEOTO | | | | | | | | | | |
| | | | | | | | | | | |
| PROVISIONAL CLA | SSIFIC | ATION | | | | | | | | |
| Derangement | | _ Dysfi | unction | - | Po | osture | (| Other | | |
| Derangement: Pain I | ocation | | | | | | | | | |
| | | | | | | | | | | |
| PRINCIPLE OF MAN | | | | | | | | | | |
| | | | | | | provide | ed | | | |
| Mechanical therapy: | | | | | | | | | | |
| Extension principle | | | | | Lateral pri | nciple | - | | | |
| Flexion principle | | | | | Other | | | | | |
| Treatment goals | | | | | 99 | | - | | | |
| year-or telephone property (company to the property of | | | | | | | | | | |





THE McKENZIE INSTITUTE LOWER EXTREMITIES ASSESSMENT

| Date | | \bigcirc |
|-------------------------|---|--|
| Name | Sex M/F | |
| Address | | (30) |
| Telephone | | [[-][-][-][-][-][-][-][-][-][-][-][-][-] |
| Date of Birth | Age | |
| Referral: GP/Orth/Se | elf / Other | |
| Work: Mechanical str | resses | |
| | | |
| | stresses | \\o(\) \ \ (|
| Functional disability t | from present episode | (χ) |
| Functional disability | score |) } (|
| VAS Score (0-10) | | SYMPTOMS () |
| | HISTORY | |
| Present symptoms | | |
| Present since | | Improving / Unchanging / Worsening |
| Commenced as a res | sult of | Or No Apparent Reason |
| Symptoms at onset | | Paraesthesia: Yes / No |
| Spinal history | | Cough / Sneeze +ve/-ve |
| Constant symptoms: | Intermittent S | Symptoms: |
| Worse | bending sitting / rising / first few steps stan am / as the day progresses / pm when still / on the r Other | move Sleeping: prone / sup / side R / L |
| Better | bending sitting standing wa | alking stairs squatting / kneeling |
| | am / as the day progresses / pm when still / on the n | nove Sleeping: prone / sup / side R / L |
| | other | |
| Continued use make | es the pain: Better Worse No Effect | Disturbed night Yes / No |
| Pain at rest | Yes / No | Site: Back / Hip / Knee / Ankle / Foot |
| Other Questions: | Swelling Clicking / Locking | Giving Way / Falling |
| | | |
| Previous episodes | | |
| Previous treatments | | |
| General health: Good | d / Fair / Poor | |
| Medications: Nil / N | NSAIDS / Analg / Steroids / Anticoag / Other | |
| Imaging: Yes / No | | |
| Recent or major surg | gery: Yes / No | Night pain: Yes / No |
| Accidents: Yes / N | lo | _ Unexplained weight loss: Yes / No |
| 0 | Assistant / Outh assistant / Othersia | Trauma / Insidiana Casa (|
| Summary | Acute / Sub-acute / Chronic | Trauma / Insidious Onset |
| Sites for physical exa | amination Back / Hip / Knee / Ankle / Foot | Other: |



| POSTURE Sitting Good / Fail Other observations: | | r C | orrectio | n of Po | sture: <i>Bette</i> | r / | / Worse / No Effect / | NA | Stand | ing: | Good / F | air / Poor |
|---|---------------------|----------|----------|---------|------------------------|----------|-----------------------|-----|----------|---|----------|------------|
| NEUROLOGICAL: | NA | / Mot | or / Se | ensory | / Reflexes / | С | Oural | | | | | |
| BASELINES (pain o | | | | | | | | | | | | |
| EXTREMITIES | | o / Kne | | | | | | | | | | |
| MOVEMENT LOSS | Maj | Mod | Min | Nil | Pain | | | Maj | Mod | Min | Nil | Pain |
| Flexion | | | | | | | Adduction / Inversion | | | | | |
| Extension | | | | | | | Abduction / Eversion | | | | | |
| Dorsi Flexion | | | | | | | Internal Rotation | | | | | |
| Plantar Flexion | | | | | | | External Rotation | | | | | |
| | | | | | | | | | | | | |
| Danaina Manamant | | | (| 4 | | | | | | | PDM | ERP |
| Passive Movement | (+/- OV | er pres | sure) (r | iote sy | mptoms and i | га | nge): | | | | PDIVI | ERP |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| Resisted Test Resp | onse (| pain) _ | | | | | | | | | | |
| Other Tests | | | | | | | | | | | | |
| Other Tests | | - | | | | | | | | | | |
| | | | | | | | | | | | | |
| SPINE Movement Loss | | | | | | | | | | | | |
| Effect of repeated mo | | | | | | | | | | | | |
| Effect of static position | | | | | | | | | | | | |
| Spine testing Not | relevan | t / Rele | vant / S | econda | ry problem _ | | | | | | | |
| Baseline Symptoms | · | | | | | | | | | | | |
| Repeated Te | ests | | | | Symptom R | es | sponse | | Mech | anica | ıl Respo | nse |
| Active/Passive me | | nt | | Durir | | Γ | After – | | Effect - | | | No |
| resisted test, func | | | | | Abolish, crease, NE | | | | | or Ψ ROM, strength key functional test | | |
| | | | | | | \vdash | | _ | | | | |
| | | | | | | \vdash | | | | | | |
| | | | | | | ╀ | | | | | | |
| | | | | | | \vdash | | | | | | |
| Effect of static posi | tioning | + | | | | \vdash | | | | | | |
| | | | | | | _ | | | | | | |
| PROVISIONAL CLA | SSIEIC | ΑΤΙΩΝ | | | Extremities | | Spine | | | | | |
| Dysfunction – Articula | | | | | | | Contractile | | | | | |
| Derangement | | | | | | - | Postural | | | | | |
| Other | | | | | | | Uncertain | | | | | |
| PRINCIPL = 0 = 1 - 1 - 1 | | | | | | | | | | | | |
| PRINCIPLE OF MAN Education | | | | | | | Equipment Provided | | | | | |
| Exercise and Dosage | | | | | | ı | Equipment Provided | | | | | |
| | | | | | | | | | | | | |
| Treatment Goals | | | | | | | | | | | | |





THE McKENZIE INSTITUTE UPPER EXTREMITIES ASSESSMENT

| | | | — <i>[</i>) | (-) |
|-----------------------|------------------------|-----------------------|---------------------|---------------------------------------|
| Name | | Sex N | <u>M/F</u> ↓ | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ |
| Address | | | | Ya En |
| Telephone | | | { | $\{1\}$ $\{1, 1, 1, \dots, n\}$ |
| Date of Birth | | Age | | |
| Referral: GP/Orth/S | elf / Other | | -1 | |
| Work: Mechanical st | resses | | | |
| Leisure: Mechanical | stresses | | | / \ \ \ / |
| Functional Disability | from present episode | | | (|
| Functional Disability | score | |)}{(| SYMPTOMS |
| VAS Score (0-10) | | | رسا <i>لینا</i> | STILL TOILS |
| | | HISTORY | Y Hand | ledness: Right / Left |
| Present Symptoms | | | | |
| Present since | | | | Improving / Unchanging / Worsening |
| Commenced as a re | sult of | | | Or No Apparent Reason |
| Symptoms at onset | | | | Paraesthesia: Yes / No |
| Spinal history | | | | Cough /Sneeze +ve / -ve |
| Constant symptoms | : | Inter | mittent Symptoms: | |
| Worse | bending sitt | ing turning | neck dressing | reaching gripping |
| | am / as the day progre | • | still / on the move | Sleeping: prone / sup / side R / L |
| Better | bending sitt | ting turning | neck dressing | reaching gripping |
| | am / as the day progre | esses/pm when: | still / on the move | Sleeping: prone / sup / side R/L |
| Continued use make | es the pain: Better | Worse | No Effect | Disturbed night Yes / No |
| Pain at rest | Yes / No | | Site: Neck | / Shoulder / Elbow / Wrist / Hand |
| Other Questions: | Swelling | Catching / C | Clicking / Locking | Subluxing |
| Previous episodes | | | | |
| Previous treatments | | | | |
| General health: God | d / Fair / Poor | | | |
| Medications: Nil / | VSAIDS / Analg / Ste | roids / Anticoag / Oi | ther | |
| Imaging: Yes / No | | | | |
| Recent or major sur | gery: Yes / No | | Night pair | n: Yes/No |
| Accidents: Yes / I | | | Unexplair | ned weight loss: Yes / No |
| Summary | Acute / Sub-acu | te / Chronic | Trauma | / Insidious Onset |
| Sites for physical ex | amination Neck / Si | houlder / Elbow / W | rist / Hand Other. | |



| POSTURE Sitting Good / Fall Other observations: | | r C | orrectio | n of Po | sture: Bette | r/ | Worse / No E | ffect / NA | | Stand | ing: | Good / F | air / Poor |
|--|----------|----------|-----------|---------|--------------|----------|------------------------------|------------|----------------|--|-------|----------|------------|
| NEUROLOGICAL: | NA | / Mot | or / Se | ensory | / Reflexes / | D | ural | | | | | | |
| BASELINES (pain o | r funct | ional a | ctivity): | : | | | | | | | | | |
| EXTREMITIES | Sh | oulder | / Elbo | w / W | rist / Hand | | | | | | | | |
| MOVEMENT LOSS | Maj | Mod | Min | Nil | Pain | | | | Maj | Mod | Min | Nil | Pain |
| Flexion | | | | | | | Adduction / Ulnar Deviate | tion | | | | | |
| Extension | | | | | | | Abduction / Radial Devia | ation | | | | | |
| Supination | | | | | | | Internal Rota | | | | | | |
| Pronation | | | | | | | External Ro | tation | | | | | |
| | | | | | | | | | | | | | |
| Passive Movement | (+/- ove | er pres | sure) (r | ote sy | mptoms and | rar | nge): | | | | | PDM | ERP |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| Resisted Test Resp | onse (ı | oain) | | | | | | | | | | | |
| | () | _ | | | | | | | | | | | |
| Other Tests | | _ | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| SPINE | | | | | | | | | | | | | |
| Movement Loss | | | | | | | | | | | | | |
| Effect of repeated mo | | its | | | | | | | | | | | |
| Spine testing Not i | | t / Rele | vant / S | econda | rv problem | | | | | | | | |
| Baseline Symptoms | | | | | | | | | | | | | |
| Repeated Te | ests | | | | Symptom R | es | ponse | | | Mech | anica | ıl Respo | nse |
| Active / Passive movement, resisted test, functional test During – Produce, Abolish, Increase, Decrease, NE | | | | | E | | | | or Ψ RC | Effect – or♥ ROM, strength key functional test | | | |
| | | | | | | L | | | | | | | |
| | | | | | | ┞ | | | | | | | |
| | | | | | | ├ | | | | | | | |
| Effect of static posi- | tionino | | | | | \vdash | | | | | | | |
| Effect of static posi | uoning | - | | | | H | | | | | | | |
| | | | | | | | | | | | | | |
| PROVISIONAL CLA | SSIFIC | ATION | | | Extremities | | SI | oine | | | | | |
| Dysfunction – Articula | ar | | | | | - | | | | | | | |
| Derangement | | | | | | - | Postural | | | | | | |
| Other | | | | | | - | Uncertain | | | | | | |
| PRINCIPLE OF MAN | IAGEN | | | | | - | Equipment Pro | wided | | | | | |
| Exercise and Dosage | | | | | | - | -qaipinetit PIC | vided _ | | | | | |
| Treatment Goals | | | | | | | | | | | | | |

